



DUBACCO

contents

1. About us
2. DUBACCO's product
3. Others
4. Certification

About us

Dubacco is a brand of D & P Enterprise Ltd.
Manufacture, Wholesale, Franchise, Trade

History/Age,

2 wholesale warehouses
Employ 20 people
Have own sales force
Marketing Department & design team



Market Leader in South Korea.
180 shops- largest of any supplier in Korea.
Seeking foreign markets.
Also hold License and rights for Europe & U.S.A. markets.



Product

Product

Picture

Name/Color



CUBA'S
BROWN



REAL 5 - V2
BLACK,WHITE



FATBOY
BALCK, SILVER




FATBOY2
BALCK



DESPOT(NPB/atomizer)
BLACK, SILVER, PURPLE



SUPERTANKER
1400 BLACK/CHROME
800 BLACK/CHROME



Very popular with those favoring the slim cigarette.
Cuba's cigar is a very authentic adaptation of a real cigar.

CUBA'S Components



Starter Kit

1. 2 sets (battery & drip tip)
2. Additional NPB cartomizer
3. USB charger
4. plug charger

+User manual

specification

Color Brown

Length 140mm

Diameter 13mm

Battery Capacity 380mAh



Rated voltage 3.7V (3.3V~4.2V)

Highlights

- **Cuba's design shape is based on elegance and authenticity.**
- **Electronic air flow sensor.** Simply inhale to activate the power source.
- **Pass through** (recharging method)

You can use and recharge the e-cigarette simultaneously.

Real5- V2



You can feel real cigarette because slim and elegance design.

Real5-V2 Components



1. Set (2 atomizer, 2battery)
2. Plug charger
3. USB charger
4. Pin cartridge
+ manual

Real5 –V2 feature



specification

Color black, white

Length: 13.1 cm

Diameter 9mm

Capacity of battery 280mAh

Rated voltage 3.7V (3.3V~4.2V)

Slim design

It has slim design and seem like a real cigarette.

More safely

You can use more safely by using small size battery.



Can be used for 96 hours on a single charge.

Self-regulating system designed to prevent overheating and filtering sounds, with the impressive atomizer and hole cap combination.

FATBOY Components



1. Set
(battery, atomizer, drip tip)
2. Additional atomizer
3. Cap cover
4. Plug charger
5. USB charger
6. 5 Pin cartridges (EA)
+ manual

specification

Color Black, Silver

Length 13.5cm

Diameter 16mm

Battery Capacity 1300mAh

Rated voltage 3.7V (3.3V~4.2V)
resistance 1.9

Super battery: Use for up to 96 hours.

upgraded atomizer designed to prevent overheating and filtering sounds, with the impressive atomizer and hole cap combination.

We removed the unnecessary air hole from the upgraded model.

You can use NPB cartomizer set.



INNOVATIVE PRODUCT: A variable voltage product

You can experience to new world of electronic cigarette.

Our product has a gorgeous design. Try it now !

FATBOY2 Components



- 1.
2. Additional atomizer
3. Cap cover
4. Plug charger
5. USB charger
6. 5 Pin cartridges (EA)
+ manual

FAT BOY2 feature



specification

Color Black

Length 13.5cm

Diameter 16mm

Battery Capacity 1300mAh


Rated voltage 3.7V (3.3V~4.2V)
resistance 1.9

Super battery: Use for up to 96 hours.

upgraded atomizer designed to prevent overheating and filtering sounds, with the impressive atomizer and hole cap combination.

We removed the unnecessary air hole from the upgraded model.

You can use NPB cartomizer set.



A slim and durable design to complement the fat boy model.

DESPOT Components



1. Battery (2EA)
2. Cartomizer + Drip tip
3. Long atomizer
4. Hole cap
5. Plug charger
6. USB charger
7. 5 Pin Cartridges (EA)
+ Manual

specification

Color Black, Silver, Purple

Length 13.7cm

Diameter 13mm

Battery Capacity 700mAh

Rated voltage 3.7V (3.3V~4.2V)

Over heating Device

A simple button press prevents overheating within 8 seconds

Battery recharge indicator informs the user when recharging is required.

Bigger cartridge capacity 1.5 times bigger than other branded products.

No undesirable soldering on the cartomizer.

SUPER TANKER



It has a strong atomizer and large battery capacity.

SUPER TANKER Components



1. Cotton flannel
2. Main body
(hole cap, button, battery, battery case)
3. NPB(lead-free) Cartomizer
(composition: 2x 2ml, 1x 3.5ml)
4. Plug charger
5. Battery

+ manual

SUPER TANKER feature



specification

Color black, chrome

Length: 15 cm (NPB 2ml)

Thickness : 1400-20mm, 800-16mm

Capacity of battery 1400mAh/800mAh

Rated voltage 3.7V (3.3V~4.2V)

Over heating Device

A simple button press prevents overheating within 8 seconds

Battery recharge indicator informs the user when recharging is required.

Bigger cartridge capacity 1.5 times bigger than other branded products.

No undesirable soldering on the cartomizer.

E-cigarette liquid

SEVEN JUICE(Liquid)



Seven Juice's new flavors are 100% original.

They have been designed to recreate the exact flavor they are taken from. Our team has gone to great lengths perfecting the exclusive tastes found in 7Juice's latest range of flavors.

Take the time to discover and explore these unique taste!

- 100% Freshness Guarantee
- Born On Dating On ALL E-Liquid
- Lot control Numbers On All E-Liquid

SEVEN JUICE



This is not the flavor of an average Cavendish, rather it is the unique banana flavor of 'Gros Michel'. Gros Michel's bananas were born of the small town of Haleiwa, Hawaii and sadly were no longer produced after the 1960s. The bananas once boasted a remarkably rich and round taste. Yet once more, that original flavor has been captured exclusively by 7Juice. Taste the true sweetness found only in Haleiwa, the small town of Hawaii, with 7Juice.



Taste the perfect combination of a jade green sea and the sharpest tropical fruits. This is a completely new experience, and one that must be tried at least once in a lifetime. This is Hawaiian Ade.

SEVEN JUICE



WESTERN GUNMAN It's 1872, the heyday of outlaws in a small town of America's wild west. Two men stand silently beneath the crimson sunset. They pant deeply with furrowed brows soaked in sweat, neither wanting to be caught out by the other; their silent respect shown only by the cigar smoke emanating between them, their firm grasp of the situation. Only those two men were able to experience the deep deep richness of that cigar... until now. 7Juice has been able to present that exact same richness for you to experience today.



TUNDRA BERRY Imagine the legendary Tundra berry. Born of a frozen land, it was created amidst a raging snowstorm. An unexplainable fresh taste never before experienced by man. As you close your eyes and take a deep breath of Tundra berry, you will glimpse the true origins of fruit.

SEVEN JUICE



WESTERN GUNMAN It's 1872, the heyday of outlaws in a small town of America's wild west. Two men stand silently beneath the crimson sunset. They pant deeply with furrowed brows soaked in sweat, neither wanting to be caught out by the other; their silent respect shown only by the cigar smoke emanating between them, their firm grasp of the situation. Only those two men were able to experience the deep deep richness of that cigar... until now. 7Juice has been able to present that exact same richness for you to experience today.

Supply parts

NPB Cartomizer



- ◆ Color : Black , Silver
- ◆ Size : 2ml, 3.5ml
- ◆ 3pcs in 1 set : Total 4 model (hole cap of DESPOT)

NPB Cartomizer : Lead-free

We developed the first lead-free cartomizer. In fact you wont find lead on any of our components. This cartomizer innovation is designed to ensure long-term safe use of the product (Original e-cigarette cartomizers included 4 lead components).

Push cartridge



Cartridge with a button

Our 1.2 version's 'push cartridge' is a distinct improvement upon the 1.1 version. residual quantity can be checked in cartridge window. The component stronger and more durable.

Others

FAT BOY

(not included in set)



DESPOT

(included in set)



SUPER TANKER

(included in set)



Drip tip



V cartridge short/long



Pin cartridge short/long



Pouch Accessories



- enameled leather lanyard/holder.
- Convenient for the

DESPOT and FATBOY.



The protective and stylish sunglasses style pouch.

USB cable



Authentication

Certification



Shenzhen Meihua Electronic Technology Co.,Ltd.
Room 505, East DingXin Bldg., LiuXian Road, XILi Town, Nanshan,
Shenzhen, China
<http://www.cefc-lab.com>

EC DECLARATION OF CONFORMITY

No. :MH1048568

Applicant : Shenzhen Hello Technology Co.,Ltd
Address : 3/F ,Fth Blvd.Lichen High New Tech. Industry Zone,
Shajing Town, Baoan District, Shenzhen China
Manufacturer : Shenzhen Hello Technology Co., Ltd.
Address : 3/F ,Fth Blvd.Lichen High New Tech. Industry Zone,
Shajing Town, Baoan District, Shenzhen China
Product : Electronic Cigarette
Models : Hello 016,RIVA

Test Standard :
2002/95/EC, EPA3050B:1996, EPA3060A,
EPA3052:1996, EPA7196A, EPA3540C,
EPA8270C, EN1122:2001

The test data obtained and the report issued by laboratories other than Meihua are provided by the applicant to us for data consolidation purpose.

The report shall not be reproduced in part without written approval of us. It is only valid in connection with the test report number: MH-ROHS48568

RoHS



Thomas
Manager
Apr. 15, 2010



Shenzhen Meihua Electronic Technology Co.,Ltd.
Room 505, East DingXin Bldg., LiuXian Road, XILi Town, Nanshan,
Shenzhen, China
<http://www.cefc-lab.com>

EC DECLARATION OF CONFORMITY

No. :MH1035696

Applicant : Shenzhen Hello Technology Co.,Ltd.
Address : 4F, NO.3 Block, Hengmingzhu Hi-tech Industry Park, Tongfuyu road,
Gonghe village, Shajing town, Baoan district, Shenzhen
Manufacturer : Shenzhen Hello Technology Co.,Ltd.
Address : 4F, NO.3 Block, Hengmingzhu Hi-tech Industry Park, Tongfuyu road,
Gonghe village, Shajing town, Baoan district, Shenzhen
Product : Electronic Cigarette
Model : Hello 010,Hello 016

EMC Test Standards :

EN61000-6-3: 2007,
EN61000-3-2: 2006
EN61000-3-3: 1995+A1:2001+A2:2005,
EN61000-6-1: 2007

The EUT described above has been tested by us with the listed standards and found in compliance with the Council Directive 89/336/EEC, including amendment 2004/108/EC Amending Directives. It is possible to use CE marking to demonstrate the compliance with this EMC Directives.

The certificate applies to the tested sample above mentioned only and shall not imply an assessment of the whole production. It is only valid in connection with the EMC test report number: MH-EMC35696



Thomas
Manager
Jan.15, 2010



CB
Scheme



Certification



Zertifikat		Certificate	
Zertifikat Nr. / Certificate No.	Blatt / Page	TÜV Rheinland	
S1 50134593	0001	 TÜV Rheinland	
Ihr Zeichen Client Reference	Unser Zeichen Our Reference	Längstens gültig bis / Latest expiration date	
Z.Y.B.	02-YPN- 17009476 001	30.07.2013	
Genehmigungsinhaber License Holder		Fertigungsstätte Manufacturing Plant	
Huizhou Belkin Electronic Co., Ltd		Huizhou Belkin Electronic Co., Ltd	
NO.11 Zone, Zhongkai High		First Factory	
Technology Development Zone		No. 11 Zone, Zhongkai High	
Huizhou, Guangdong 516006		Technology Development Zone	
P.R. China		Huihuan Town	
		Huizhou, Guangdong	
		P.R. China	
Prüfzeichen Test Mark	Gefügt nach Testen acc. to		
	EN 60335-1:2002+A1+A11+A12+A2		
	EN 60335-2-29:2004		
	EN 50366:2003+A1		
Der Anhang I der Richtlinie 2006/95/EG ist ergriffen. Das Zertifikat kann im Rahmen der Konformitätserklärung nach Anhang III verwendet werden. Annex I of the directive 2006/95/EC is covered. The certificate can be used in connection with the EC declaration of conformity acc. to annex III.			
Zertifiziertes Produkt (Geräteidentifikation) Certified Product (Product Identification)		Lizenzzettel - Einheit License Fee - Unit	
Batterieladegerät (Direct Plug-in Battery Charger)			
Bezeichnung (Type Designation)	Be:0028-x2x		
x=1, 2, 4, C, 5, D, 6, welches den folgenden Werten entspricht 0,3A, 0,35A, 0,4A, 0,45A, 0,5A, 0,55A, 0,6A (x=1, 2, 4, C, 5, D, 6, which respectively represents 0,3A, 0,35A, 0,4A, 0,45A, 0,5A, 0,55A, 0,6A)	11		
x = A, 0, Gerät mit oder ohne Leuchtdiode (x = A, 0, which respectively represents with or without LED light)			
Nennspannung (Rated Voltage)	AC 100-240V 50/60Hz		
Nennstrom (Rated Current)	0,2A		
Ausgangsspannung (Output Voltage)	4,2V		
Schutzklasse (Protection Class)	II		
ANLAGE (Appendix): 1			
Das Zertifikat liegt vornein Prüf- und Zertifizierungsordnung zugrunde. This certificate is based on our Testing and Certification Regulation. Das Zertifikat liegt vornein Prüf- und Zertifizierungsordnung zugrunde. This certificate is based on our Testing and Certification Regulation. Product and production fulfil per 4. Art. 1 or Art. 2 and Part 7 Art. 1 of the German Equipment and Product Safety Law.			
TÜV Rheinland Product Safety GmbH, Am Gramm Stein, D-51105 Köln Tel.: +49/2218 66 - 17 71 e-mail: cert-tv@tuv.com Fax: +49/2218 66 - 39 21 http://www.tuv.com/safety			
Ausstellungsdatum / Date of Issue : 31.07.2008 (day/month/year)			
 Dipl. Ing. C. O. Steinke Zertifizierungsstelle			

SHENZHEN MEIHUA ELECTRONIC TECHNOLOGY CO.,LTD.	
FCC DECLARATION OF CONFORMITY	
NO.:MH0104576	
We herewith confirm the following designated product:	
Electronic Cigarette	
Model Number:eGo,Hello 016	
(Product Identification)	
Has been tested and found in compliance with the requirements of 47 CFR PART 15 regulation & ANSI C63.4 for the evaluation of Class B of electromagnetic compatibility.	
This device complies with Part 15 of the FCC rules, operation is subject to the following two conditions:	
(1) This device may not cause harmful interference, and	
(2) This device must accept any interference received, including interference that may cause undesired operation.	
(Identification Of Regulations/Standards)	
This declaration is the responsibility of the Applicant/Manufacturer/Importer	
Shenzhen Hello Technology Co.,Ltd.	
4F, NO.3 Block, Hengmingzhu Hi-tech Industry Park, Tongfuyu road, Gonghe village, Shajing town, Baoan district, Shenzhen China.	
(Applicant Name /Address)	
Shenzhen Hello Technology Co.,Ltd.	
4F, NO.3 Block, Hengmingzhu Hi-tech Industry Park, Tongfuyu road, Gonghe village, Shajing town, Baoan district, Shenzhen China.	
(Manufacturer Name /Address)	
TEST LABORATORY	
This is the results of test that was carried out by Shenzhen Meihua. From the submitted type samples of the product is conformity with the specification of the respective standards. The certificate holder has the right to fix the FCC-mark on the product complying with the inspection sample. It is only valid in connection with the test report number:MH-FCC09689	
  Manager	
Apr.25,2010	
Room 505, East DingXin Buldg, LiuXian Road, XILI Town, Nanshan, Shenzhen China http://www.cefcc-lab.com	

Thanks you

Add: Duggubi building 603, 588, Sannam-Dong, Heungdeok-Gu, Cheongju-Si, Chungcheongbuk-Do, South Korea

Tel: +82 1644 2808

Web page: www.dubacco.co.kr

Fax: +82 43 286 7770

E-mail: dubacco2009@hotmail.com